



# 29N Series

For folding carton, heavier corrugated trim and shreds, and other heavier packaging & printing materials

## Key Advantages:

- Single Tension Cylinder – the side and top channels are hinged – creating four way tension – 3x greater friction force than competitive designs – creating heavier bales
- Best Auto-tie is the industry featuring pull technology, pulling the opposite side wire to the twisting, cutting and knotting process. Tier unit is on castors so you can easily open the unit to inspect and adjust tier for more accurate tying.
- Subfloor System – all units are heavy construction with inner liner system on floor and ram bottoms - provides a much longer lasting design plus much less expensive to renew vs. the competition
- Category III Safety features – all standard



[HarrisAmericanCo.com](http://HarrisAmericanCo.com)

# 29N Series

## PRODUCTION OPTIONS

Bale Size: 30" x 43" x variable  
Width: 29"  
Hopper Length: 30, 40, 50  
Main Cylinder: 9" or 10" bore trunnion design  
System Pressure: 3000 psi  
Main Motor: 30, 50, 75, Twin 30 or Twin 50 HP  
Feed Type: Air trim system, conveyor  
Shear: Available with or without shear blade  
Meets all current ANSI 245.5 Safety Standards

Heavy-Duty Hopper  
Dust Pick-Up Hood at Tier Station &  
Rear Cylinder (8" Port)  
Off-side tier controls  
Additional Infrared Photo Eye  
Hopper extension up to 48"  
Remote Floor Mounted Power Unit  
Water mist (2 nozzle)  
Wire Run out Sensors  
Increase conveyor controls up to 15HP  
Additional 4' Bale Table  
Infrared sensor and alarm with wiring

